ENELTEC®
brighten your ideas

LED Wall Wash Lights

CREE®

MW MEAN WELL LED DRIVER

CE

RoHS

WARRANTY 3 YEARS WARRANTY

Introduction

LED wall wash light at the same time of access to basic lighting, can also use your special design highlight attractive architectural style and cultural connotation, good uniformity, rich color change.

LED wall wash light helps you to easily describe night at urban construction style, through the preset program control or manual control, realize the switch that move light and dynamic color changes, and other functions, not only easy to operate, can give more architectural aesthetic feeling.

Main application: all kinds of building facades (including buildings, Bridges, sculptures, etc.), natural and cultural landscape lighting, rendering bars, dance halls and other entertainment venues, etc.

Model 401 Series





Power: 18W & 24W & 36W

Size:1000X 34x45mm

Voltage: DC24V / AC85-265V



Beam Angle: 6°/15°/25°/45°/60°

Cree Chip, Meanwell Driver

Model 801 Series











Power: 48W

Size:1000X 68x45mm

Voltage: DC24V / AC85-265V

Beam Angle: 6°/15°/25°/45°/60°

Cree Chip, Meanwell Driver

Model 1201 Series







Power: 18W & 24W & 36W

Size:1000X 76x40mm

Voltage: DC24V / AC85-265V

Beam Angle: 6°/15°/25°/45°/60°

Cree Chip, Meanwell Driver



Model 1301 Series







Power: 18W & 24W & 36W

Size:1000X 49x30mm

Voltage: DC24V / AC85-265V



Beam Angle: 6°/15°/25°/45°/60°

Cree Chip, Meanwell Driver

Installation Wiring: Single Color

Engineering Wiring Diagram (Single Color):

DC 24V / 360W switching power supply, the number of connected lamps should be determined according to the actual power, in actual applications, more than 80% of the total power of the switching power supply



Installation Wiring: Full Color

Engineering Wiring Diagram (Full Color):

DC 24V / 360W switching power supply, the number of connected lamps should be determined according to the actual power, in actual applications, more than 80% of the total power of the switching power supply



Packing

Model No.	401 series	801 series	1201 series
Packing Dimension (cm)	100.2*20*20.2/ 20PCS	100,2*20*20.2/ 8PCS	100,2*20*20.2/ 8PCS
NW/GW (Kg)	1 pc 1.5KGS	1 pc 1.5KGS	1 pc 1.5KGS